

SUBMITTAL DATA - INDOOR UNIT VECL009N4U VRF CONSOLE TYPE EVAPORATOR

Washable Filter

Anti-Freezing Protection

• Overflow Protection

Job Name:	Engineer:		
Location:	Architect:		
Schedule No.:	Date:		
System Designation:	For: Reference Approval Review Construction		

FEATURES

- Auto Addressing installation
- Built-in Electronic Expansion Valve

- Auto Restart
- LED Display
- Replaceable Front Panel

PRODUCT WARRANTY

All covered components - one year limited warranty

SPECIFICATIONS

PERFORMANCE		
Cooling Capacity* (Btu/h)		9,550
Heating Capacity* (Btu/h)		10,920
Airflow (CFM)	High	294
	Medium	217
	Low	164
Sound Pressure Level (dBA)	H / M / L	38/33/26
ELECTRICAL DATA Power Supply (V / Hz / Ph)	220-240/50/1 - 208	3-230/60/1
MOP (A)		6
Rated Current (A)	Cooling	0.15
	Heating	0.15
DIMENSIONS		
Unit Dimensions (in)	Height	23 1/2
	Width	27 1/2
	Depth	8 1/2
Liquid Pipe Connection (in)		3/8
Gas Pipe Connection (in)		1/4
Shipping Weight (lb)		41.9
Net Weight (lb)		35.3




NOTES:

*Cooling and Heating Capacity data is rated at the following conditions: Cooling: 80 °F DB / 67 °F WB Indoor, 95 °F DB Outdoor

Heating: 70 °F DB Indoor, 47 °F DB



DIMENSIONAL DRAWINGS



	mm	in
Width	700	27.56
Depth	215	8.46
Height	600	23.62



SUBMITTAL DATA - INDOOR UNIT VECL012N4U VRF CONSOLE TYPE EVAPORATOR

Job Name:	Engineer:		
Location:	Architect:		
Schedule No.:	Date:		
System Designation:	For: Reference Approval Review Construction		

FEATURES

- Auto Addressing installation
- Built-in Electronic Expansion Valve

- Auto Restart
- LED Display
- tronic Expansion Valve
- Washable Filter
- Anti-Freezing Protection
- Overflow Protection

Replaceable Front Panel

PRODUCT WARRANTY

All covered components - one year limited warranty

SPECIFICATIONS

PERFORMANCE		
Cooling Capacity* (Btu/h)		12,283
Heating Capacity* (Btu/h)		13,648
Airflow (CFM)	High	353
× ,	Medium	259
	Low	212
Sound Pressure Level (dBA)	H / M / L	40/37/32
ELECTRICAL DATA Power Supply (V / Hz / Ph)	220-240/50/1 - 208	3-230/60/1
MOP (A)		6
Rated Current (A)	Cooling	0.15
	Heating	0.15
DIMENSIONS		
Unit Dimensions (in)	Height	23 1/2
	Width	27 1/2
	Depth	8 1/2
Liquid Pipe Connection (in)		3/8
Gas Pipe Connection (in)		1/4
Shipping Weight (lb)		41.9
Net Weight (lb)		35.3




NOTES:

*Cooling and Heating Capacity data is rated at the following conditions: Cooling: 80 °F DB / 67 °F WB Indoor, 95 °F DB Outdoor

Heating: 70 °F DB Indoor, 47 °F DB



DIMENSIONAL DRAWINGS



	mm	in
Width	700	27.56
Depth	215	8.46
Height	600	23.62



SUBMITTAL DATA - INDOOR UNIT VECL017N4U VRF CONSOLE TYPE EVAPORATOR

Job Name:	Engineer:		
Location:	Architect:		
Schedule No.:	Date:		
System Designation:	For: Reference Approval Review Construction		

FEATURES

- Auto Addressing installation
- Built-in Electronic Expansion Valve

- Auto Restart
- LED Display

- Washable Filter
 - Anti-Freezing Protection
 - Overflow Protection

Replaceable Front Panel

PRODUCT WARRANTY

All covered components - one year limited warranty

SPECIFICATIONS

OI LOI IOANONO		
PERFORMANCE		
Cooling Capacity* (Btu/h)		17,060
Heating Capacity* (Btu/h)		18,766
Airflow (CFM)	High	383
	Medium	294
	Low	241
Sound Pressure Level (dBA)	H / M / L	46/41/35
ELECTRICAL DATA		
Power Supply (V / Hz / Ph)	220-240/50/1 - 208	3-230/60/1
MOP (A)		6
Rated Current (A)	Cooling	0.15
	Heating	0.15
DIMENSIONS		
Unit Dimensions (in)	Height	23 1/2
	Width	27 1/2
	Depth	8 1/2
Liquid Pipe Connection (in)		1/2
Gas Pipe Connection (in)		1/4
Shipping Weight (lb)		41.9
Net Weight (lb)		35.3




NOTES:

*Cooling and Heating Capacity data is rated at the following conditions: Cooling: 80 °F DB / 67 °F WB Indoor, 95 °F DB Outdoor

Heating: 70 °F DB Indoor, 47 °F DB



DIMENSIONAL DRAWINGS



	mm	in
Width	700	27.56
Depth	215	8.46
Height	600	23.62